


MONUMENT RECORD
Corner ID: Rich_O15
Section Corner
Section 22- T09N-R02W, 2nd P.M.
Richland Township, Monroe County, Indiana



EXISTING SURVEY HISTORY

Include as much detail and history of the corner as known at the time of perpetuation.

SUBSEQUENT CORNER RESTORATION:

Date Surveyed: 12/11/2006 By: Kevin P. Enright

Where filed or recorded: M.C.S.O. Files

Original monument: Pipe

Bearing Trees or Reference Monuments:

I.D.	Dia.	Bearing	Distance
Sign on Metal Post		N 03° W	3.28'
Oak	4"	N 67° E	14.72'
Hophornbeam	9"	N 89° E	15.26'

Notes:

SURVEY EVIDENCE FOUND: Include evidence found and weighed, search area or areas, search procedure, etc.

Date of Search: 11/12/21 By: J.R. & K.H. Monument Found: Pipe

BTs or Reference Objects Found: Survey sign on metal fence post Notes:

OTHER SURVEY HISTORY: Include details such as surveyor name, date, recording info, monument description, etc.

PERPETUATION RECORD

MONUMENT: Describe monument set or found (Include material type, scribing, distance above/below grade, dimensions.)

1 inch diameter iron pipe found 7 inches above grade

OTHER EVIDENCE: Describe corner location relative to nearby features and how to reach the corner location – note fences, roads, timber cutting lines, mow lines, clearings, plantings, streams, topo changes, etc.

Wire fence intersection Northeast of the pipe

THEORY OF LOCATION: Describe the theory of location for acceptance of this monument with reference to the recording information for the survey upon which this record is derived. Said recorded survey shall be certified by the same professional surveyor who certifies this document, shall identify and accept this monument, and shall have been recorded within (3) years of Form submittal.

This pipe was found to be referenced in the Office of the Monroe County Surveyor on December 11th, 2006 by Monroe County Surveyor Kevin P. Enright. This pipe was found to be commonly accepted by surveys in the area and was accepted and held as said corner.

MONUMENT PRESERVATION: Describe work done to preserve existing monument. Stone mounds should be placed around monuments when stones are readily available. Paint corner stones but not the scribing. A Monroe County “PROTECT NEARBY SURVEY MARKER” sign shall be attached to a steel post when practicable. Note location and relation of corner to sign.

A Monroe County “PROTECT NEARBY SURVEY MARKER” sign was found on a metal post North of the pipe

GEODETIC COORDINATES: Northing: 1440195.2, Easting: 3083829.7

BASIS OF GEODETIC COORDINATES: Describe equipment, date, and personnel used to collect coordinates, datum, epoch, geoid and zone.


Coordinates shown hereon were obtained from GPS observations utilizing the Indiana Real-Time Network (INCORS). Indiana West Zone, NAD83(2011) Epoch 2010.0000, State Plane Grid Coordinates, US Survey Feet. Geoid model G2012BU7. Datum NAD83_NO_TRANS by Jackson Rogers and Kyle Hazelman on November 12th, 2021.

WITNESS MONUMENT TIES: Describe at least three new BT's and/or witness objects established or work done to preserve existing evidence. The following procedures are provided for guidance. Please utilize professional judgment when choosing witness ties. All ties to BT's should be a magnetic nail and washer (state what kind) set in a hack mark at root crown (less than 12” above ground) perpendicular to center of tree unless otherwise noted. All monuments should be tied to at least three accessories with a minimum of 60° of separation. BTs should be healthy with a minimum DBH of 4”. BT description should include tree species, diameter at 4.5’ above ground, distance of nail above ground, and description of nail location (e.g.. SE side of root). Note bearing from monument to the center of the BT, distance to the nail. Other survey monuments that were located in the vicinity and their relation to the monument may also be included.

ID	Bearing	Distance	Description
B	N 01° E	3.87'	T-Post with sign on South side
C	S 75° W	17.26'	Mag w/ Washer set 11” A.G. in North side of 5” Dia. Sugar Maple
D	S 35° W	24.78'	Mag w/ Washer set 14” A.G. in Northwest side of 12” Dia. Hickory

Notes:

MONUMENT RECORD
Corner ID: Rich_O15
Section Corner
Section 22- T09N-R02W, 2nd P.M.
Richland Township, Monroe County, Indiana



MONUMENT LOCATION SKETCH: Optional: Attach a sketch or aerial image. Monument sketch is not required for reimbursement.

PHOTO IDENTIFIED: Photograph close up photo of monument and a vicinity photo of the monument that includes the Monroe County “PROTECT NEARBY SURVEY MARKER” sign. Provide photo orientation and date. Additional photos may be included by clicking the “+” button at the end of the horizontal line.

Photo Date: *November 2021*



Photo Orientation & Description: *Looking North at O-15*



Photo Orientation & Description: *Looking West at O-15*

FIELD PERSONNEL:

Field Date: *11/12/21* By: *J.R. & K.H.* Project #: *21-157* Field Book: , page: Notes:

CERTIFICATION:

Professional Surveyor Name: *Eric L. Deckard*
Indiana Professional Surveyor No.: *29900012*
Firm Name: *Deckard Land Surveying*
Date: *12/03/21*

Signature:

[Handwritten Signature]




Seal:



OFFICE USE ONLY



NOTICE TO PROCEED AND MONUMENT RECORD FORM ISSUED TO:			
Offeror Name: <i>Eric L. Deckard</i>		Firm Name: <i>Deckard Land Surveying, LLC</i>	
Phone: <i>(812)961-0235</i>		Email: <i>Ericdeckard1@msn.com</i>	
Corner Classification: Section Corner		Corner Coordinate Status: Perpetuated	

MONUMENT RECORD
Corner ID: Rich_015
Section Corner
Section 22- T09N-R02W, 2nd P.M.
Richland Township, Monroe County, Indiana



Issue Date: 7/12/22	Form Due Date: 7/21/22	Form Receipt Date: 7/21/2022
---------------------	------------------------	------------------------------

COUNTY SURVEYOR APPROVAL: <div><div><input checked="" type="checkbox"/> Yes, Signature: </div><div>Date: 8/23/22</div></div> <div><input type="checkbox"/> No, reasons for denial</div>	Seal: 
---	--

SURVEYOR REVIEW BOARD APPROVAL: <div><div><input checked="" type="checkbox"/> Yes, Signature: </div><div>Date: 8/23/22</div></div> <div><input type="checkbox"/> No, reasons for denial</div>	Seal: 
--	---